



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A23L 1/304, A23C 9/152, A23G 3/00, 9/02, A23C 9/13	A1	(11) International Publication Number: WO 00/02462 (43) International Publication Date: 20 January 2000 (20.01.00)
(21) International Application Number: PCT/EP99/04078 (22) International Filing Date: 14 June 1999 (14.06.99) (30) Priority Data: 09/113,401 10 July 1998 (10.07.98) US (71) Applicant (for all designated States except US): SOCIETE DES PRODUITS NESTLE S.A. [CH/CH]; Case Postale 353, CH-1800 Vevey (CH). (72) Inventors; and (75) Inventors/Applicants (for US only): MALLANGI, Chandrasekhar, R. [US/US]; 2 Briar Lane, New Milford, CT 06776 (US). SHER, Alexander, A. [US/US]; 5901 Montrose Road, Rockville, MD 20852 (US). FUCHS, Eileen, Carol [US/US]; 7 Old Stagecoach Road, Gaylordsville, CT 06775 (US). VEDEHRA, Dharam, Vir [US/US]; 6 Halletts Road, New Milford, CT 06776 (US). WEDRAL, Elaine, Regina [US/US]; R.R. 2, P.O. Box 480A, Chestnut Hill Road, CT 06784 (US). (74) Agent: ELKINGTON AND FIFE; Prospect House, 8 Pembroke Road, Sevenoaks, Kent TN13 1XR (GB).		(81) Designated States: AT, AU, BG, BR, CA, CH, CN, CZ, DE, DK, ES, FI, GB, HU, ID, IL, IN, IS, JP, KE, KR, LK, LU, MG, MX, NO, NZ, PL, PT, RO, RU, SE, SG, SK, TR, UA, US, YU, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: FORTIFICATION OF FOODSTUFF (57) Abstract A fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium carbonate stabilised with a source of glucuronic acid, and a process for its preparation which comprises mixing a balanced blend of calcium lactate and calcium carbonate, adding a source of glucuronic acid, and adding to the foodstuff.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

FORTIFICATION OF FOODSTUFF

The present invention relates to the fortification of a foodstuff and more particularly to the fortification of a foodstuff with calcium.

5

Calcium is an important element in human diets for adequate bone formation and maintenance as well as other metabolic functions, e.g. nerve transmission, blood clotting, proper cell function and muscle contraction. It is common practice to fortify food products with calcium sources, which are either insoluble or soluble at around neutral pH. Many of the calcium sources currently used for fortification which are insoluble or substantially insoluble at around neutral pH, e.g. calcium carbonate, calcium phosphates, calcium citrate and other organic or inorganic acid salts of calcium, result in precipitation and a chalky mouth feel. Other calcium sources, which are soluble or substantially soluble at around neutral pH such as calcium chloride, calcium hydroxide and a few organic acid salts of calcium, react with milk proteins resulting in undesirable coagulation and gelation.

15

It is also common practice to stabilize or reduce the sedimentation of the calcium and milk proteins in the milk beverages fortified with calcium sources by adding carrageenans, pectins and/or other gums, but such materials impart an undesirably high viscosity to milk. Protein destabilisation, e.g. coagulation and precipitation, is mainly attributed to free calcium ions in the system.

20

It would be highly desirable to have a calcium source to fortify milk beverages and other dairy based products without coagulation, gelation and sedimentation, with improved palatability.

25

In co-pending USSN 08/822447 there is claimed a fortified foodstuff comprising a fortifying amount of a blend of calcium salts balanced with soluble and insoluble salts stabilized with a source of glucuronic acid. Examples of the soluble calcium salts are calcium lactate and calcium gluconate, calcium glycerophosphate, calcium chloride, etc. Examples of the insoluble calcium salts are tricalcium phosphate, dicalcium phosphate, calcium citrate and calcium carbonate. The weight ratio of soluble to insoluble salts may be from 1:3 to 3:1 and preferably from 1.5:2.5 to 2.5:1.5. However, in the Examples tested for fortifying milk using calcium citrate and calcium phosphate as the insoluble calcium salts, slight

30

35

sedimentation occurred during milk storage for two months under refrigerated conditions. Also, the use of tri-salt blends requires a large amount of water, as a result of which milk solids have to be adjusted, which cause additional technical and equipment problems (e.g., nonfat dry milk, liquifiers, pumps, more energy, etc). It is desirable to reduce the number of ingredients for easy handling in the factory. It should be also noted that calcium carbonate is less expensive and richer in calcium (40.04 %) than a blend of tricalcium phosphate (38.76%) and calcium citrate (24.12%). In addition, we have found that unless the soluble salt in the balanced mixture is calcium lactate, bitterness and off-flavor were found in the milk.

We have surprisingly found that a balanced blend consisting solely of soluble calcium lactate and insoluble calcium carbonate stabilized with a source of glucuronic acid is capable of fortifying milk beverages and other dairy based products. This calcium fortified milk can survive the heat treatment (pasteurization, UHT pasteurization and UHT sterilization, autoclaving) and storage at refrigerated conditions without coagulation and sedimentation for a 2 month period. No bitterness or off-flavor were found in this calcium fortified milk.

According to the present invention, there is provided a fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium carbonate stabilized with a source of glucuronic acid.

The ingredients can be added to the milk base individually or as a blend. The milk can then be ultrapasteurized without any additional pre-process (e.g., adjustment of solids) and pre-heat treatment.

The weight ratio of calcium lactate to calcium carbonate may be from 1:2 to 3:1 and preferably from 1:1.7 to 1:1.9.

The foodstuff may be milk or dairy based products such as a milk beverage, e.g., chocolate milk, confectionery product, ice cream or other beverages such as juices. If desired, other minerals or vitamins may be present in the foodstuff.

The amount of the blend of calcium salts present in the fortified foodstuff may be from 0.05 to 5%, preferably from 0.1 to 1%, and more preferably from 0.2 to 0.4% by weight based on the weight of the foodstuff.

5 The source of glucuronic acid may be gum ghatti but is preferably gum arabic. The amount of gum arabic present in the fortified foodstuff may be from 0.05 to 2.5%, preferably from 0.1 to 1.0%, and more preferably from 0.2 to 0.5% by weight based on the weight of the foodstuff. Although not wishing to be bound by theory, we believe that the glucuronic acid residues in gum arabic aid in
10 suspending calcium by ionic binding without contributing significantly to viscosity.

Advantageously, a carrageenan may be present which may be the lambda- or iota-form but is preferably kappa-carrageenan. The amount of carrageenan present in
15 the fortified foodstuff may be from 0.005 to 0.1%, preferably from 0.0075 to 0.05%, and more preferably from 0.01 to 0.03% by weight based on the weight of the foodstuff.

The fortified foodstuff comprising a fortifying amount of a balanced blend of
20 calcium lactate and calcium together with a source of glucuronic acid may be prepared by mixing of the balanced blend of calcium lactate and calcium carbonate, adding a source of glucuronic acid, and adding to the foodstuff.

The balanced blend of calcium lactate and calcium carbonate and the source of
25 glucuronic acid may be added in the form of aqueous suspensions or as dry powders.

An alkaline agent may, if desired, be added to adjust the pH of the calcium
30 fortified foodstuff. For instance, the pH of calcium fortified milk may be adjusted to 6.5-8.0 and preferably to 6.8-7.0; the pH of calcium fortified dairy based products may be adjusted to 6.0-8.0 and preferably to 6.5-7.0; the pH of calcium fortified ice cream products may be adjusted to 6.0-7.2 and preferably to 6.8-7.2; and the pH of calcium fortified beverages may be adjusted to 3.5-8.0 and preferably to 5.5-6.5. Any food grade alkaline agent may be used for
35 neutralization, including but not limited to sodium hydroxide, potassium

hydroxide, ammonia hydroxide, magnesium hydroxide, sodium carbonate, sodium bicarbonate, potassium carbonate, and potassium bicarbonate.

Advantageously, a carrageenan may be added to the foodstuff, preferably before
5 the balanced blend of calcium lactate and calcium carbonate is added to the foodstuff. The carrageenan may also be added to the foodstuff in the form of an aqueous suspension or as a dry powder.

If desired, the balanced blend of calcium lactate and calcium carbonate, the source
10 of glucuronic acid, and optionally the carrageenan, may be mixed together and added as a powder.

EXAMPLES

15 The following Examples further illustrate the present invention.

Example 1

Calcium fortified skim milk

20 (Ca level: 50% RDA in 8 oz serving size)

16.5 g of kappa carrageenan and 275 g of gum Arabic were slowly added to 11 kg of skim milk in a liquifier under agitation and mixed for 5 minutes at high speed. Then 98 kg of skim milk was added to the liquifier under agitation.

25

126.5 g of calcium lactate pentahydrate, 216.7 g of micronized calcium carbonate and 110 g of potassium citrate were added to the milk with carrageenan and gum arabic under agitation, then speed of the liquifier was slowed. After 10 minutes of mixing, the pH of the calcium fortified milk was adjusted with 10% potassium
30 hydroxide solution to 6.8-7.0.

The milk was preheated to 175°F, ultra high temperature (UHT) treated at 285°F for 5 sec by steam injection, flash cooled to 175°F, and homogenized at 175°F and a pressure of 2500/500 psi. The milk was cooled to 40 °F , aseptically filled in
35 250mL Tetra Brik Aseptic® packages (Tetra Pak Inc., Chicago IL) and stored in a refrigerator at 35-45 °F for 10 weeks.

After 10 weeks the product was judged by a taste panel of 10 people, who found the milk to be stable, without sedimentation or coagulation, and of good flavor.

5 **Example 2**

Calcium fortified 2% fat chocolate milk

(Ca level: 50% RDA in 8 oz serving size)

10 16.5 g of kappa carrageenan and 275 g of gum arabic were slowly added to 50 kg of 2% fat milk in a liquifier under agitation and was mixed for 5 minutes at high speed. Then 47 kg of 2% fat milk were added to the liquifier under agitation.

15 126.5 g of calcium lactate pentahydrate, 216.7 g of micronized calcium carbonate, 110 g of potassium citrate, 283 g of nonfat dry milk, 1.0 kg of blend of cocoa, salt and vanillin, and then 10.6 kg of high fructose corn syrup were added to the milk under agitation. The speed of the liquifier was slowed and after 10 minutes of mixing the pH of the calcium fortified milk was adjusted with 10% potassium hydroxide solution to 6.8-7.0.

20 The milk was preheated to 175°F, ultra high temperature (UHT) treated at 285°F for 5 sec by steam injection, flash cooled to 175°F and homogenized at 175°F and a pressure of 2500/500 psi. The milk was cooled to 40 °F, aseptically filled in 250mL Tetra Brik Aseptic® packages (Tetra Pak Inc., Chicago IL) and stored in a refrigerator at 35-45 °F for 10 weeks.

After 10 weeks the product was judged by a taste panel of 10 people which found the milk to be stable, without sedimentation or coagulation, and of good flavor.

30 **Example 3**

Calcium fortified 2% fat milk with minerals and vitamins

(Ca level: 50% RDA in 8 oz serving size)

16.5 g of kappa carrageenan and 275 g of gum Arabic were slowly added to 50 kg of 2% fat milk in a liquifier under agitation and was mixed for 5 minutes at high speed. Then 59 kg of 2% fat milk was added to the liquifier under agitation.

5 126.5 g of calcium lactate pentahydrate, 216.7 g of micronized calcium carbonate, 110 g of potassium citrate and 42.6 g of mineral premix (magnesium phosphate, zinc oxide, potassium iodide and manganese sulfate monohydrate) were added to the milk under agitation. The speed of the liquifier was slowed and after 10 minutes of mixing the pH of the calcium fortified milk was adjusted with 10%
10 potassium hydroxide solution to 6.8-7.0. Then 13.6 g of vitamin premix (vitamin A palmitate, vitamin D, vitamin E acetate, vitamin K, thiamine mononitrate, niacinamid, pyrodoxine hydrochloride, cyancobalamin B12, calcium pantothenate, boitin, riboflavin) was added under agitation.

15 The milk was preheated to 175°F, ultra high temperature (UHT) treated at 285°F for 5 sec by steam injection, flash cooled to 175°F, and homogenized at 175°F and a pressure of 2500/500 psi. The milk was cooled to 40 °F, aseptically filled in 250mL Tetra Brik Aseptic® packages (Tetra Pak Inc., Chicago IL) and stored in a refrigerator at 35-45 °F for 10 weeks.

20

After 10 weeks the product was judged by a taste panel of 10 people, which found the milk to be stable, without sedimentation or coagulation, and of good flavor.

Example 4.

25

Calcium fortified 2% fat chocolate milk with minerals and vitamins
(Ca level: 50% RDA in 8 oz serving size)

A similar procedure to that described in Example 2 is followed but also using 16
30 minerals and vitamins.

The milk was preheated to 175°F, ultra high temperature (UHT) treated at 285°F for 5 sec by steam injection, flash cooled to 175°F and homogenized at 175°F and a pressure of 2500/500 psi. The milk was cooled to 40 °F, aseptically filled in
35 250mL Tetra Brik Aseptic® packages (Tetra Pak Inc., Chicago IL) and stored in a refrigerator at 35-45 °F for 10 weeks.

After 10 weeks the product was judged by a taste panel of 10 people which found the milk to be stable, without sedimentation or coagulation, and of good flavor.

5 **Example 5**

Calcium fortified skim milk

(Ca level: 50% RDA in 8 oz serving size)

10 0.165 g of kappa carrageenan and 2.75 g of gum Arabic were slowly added to 110 g of skim milk in a liquifier under agitation and was mixed for 5 minutes at high speed. Then 980 g of skim milk was added to the liquifier under agitation.

15 1.265 g of calcium lactate pentahydrate, 2.167 g of micronized calcium carbonate and 1.10 g of potassium citrate were added to the milk with carrageenan and gum arabic under agitation, then the speed of the liquifier was slowed. After 10 minutes of mixing, the pH of the calcium fortified milk was adjusted with 10% potassium hydroxide solution to 6.8-7.0.

20 The milk was preheated to 175°F and homogenized at a pressure of 2500/500 psi, filled in 125 mL glass jars and then autoclaved at 250 °F for 3 min, cooled and stored at room temperature.

25 After 10 weeks the product was judged by a taste panel of 5 people, which found the milk to be stable, without sedimentation or coagulation.

Comparative Example A

30 A similar procedure to that described in Example 1 is followed but using calcium citrate instead of calcium carbonate.

The milk was stable during the processing but significant sedimentation occurred upon storage at 2° to 5°C after 5 weeks.

Comparative Example B

5 A similar procedure to that described in Example 1 is followed but using calcium chloride instead of calcium lactate.

The milk had a significant bitterness and off-flavor.

CLAIMS:

1. A fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium carbonate stabilized with a source of glucuronic acid.
2. A fortified foodstuff according to claim 1 wherein the weight ratio of calcium lactate to calcium carbonate is from 1:2 to 3:1.
3. A fortified foodstuff according to claim 1 or claim 2 wherein the foodstuff is milk or a dairy based product, a confectionery product, ice cream or a beverage.
4. A fortified foodstuff according to any of claims 1 to 3 wherein other minerals or vitamins may be present in the foodstuff.
5. A fortified foodstuff according to any of claims 1 to 4 wherein the amount of the balanced blend of calcium lactate and calcium carbonate present in the fortified foodstuff is from 0.05 to 5% by weight based on the weight of the foodstuff.
6. A fortified foodstuff according to any of claims 1 to 5 wherein the source of glucuronic acid is gum Arabic.
7. A fortified foodstuff according to claim 6 wherein the amount of gum Arabic present in the fortified foodstuff is from 0.05 to 2.5% by weight based on the weight of the foodstuff.
8. A fortified foodstuff according to any of claims 1 to 7 wherein a carrageenan is present.
9. A fortified foodstuff according to claim 8 wherein the amount of carrageenan present in the fortified foodstuff is from 0.005 to 0.1% by weight based on the weight of the foodstuff.
10. A process for preparing a fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium carbonate together with a source of glucuronic acid which comprises mixing the balanced blend of calcium lactate

and calcium carbonate, adding a source of glucuronic acid, and adding to the foodstuff.

5 11. A process according to claim 10 wherein the balanced blend of calcium lactate and calcium carbonate and the source of glucuronic acid are added in the form of aqueous suspensions or as dry powders.

12. A process according to claim 10 or claim 11 wherein a carrageenan is added to the foodstuff.

10 13. A process according to claim 12 wherein the carrageenan is added to the foodstuff in the form of an aqueous suspension or as a dry powder.

15 14. A process according to any of claims 10 to 13 wherein the balanced blend of calcium lactate and calcium carbonate, the source of glucuronic acid, and optionally a carrageenan, is mixed and added as a powder.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 99/04078

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23L1/304 A23C9/152 A23G3/00 A23G9/02 A23C9/13

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23L A23C A23G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>DATABASE WPI Section Ch, Week 9729 Derwent Publications Ltd., London, GB; Class B05, AN 97-314183 XP002113465 & JP 09 121811 A (ORIENTAL YEAST CO LTD), 13 May 1997 (1997-05-13) abstract</p> <p style="text-align: center;">---</p>	1,10
A	<p>DATABASE WPI Section Ch, Week 9620 Derwent Publications Ltd., London, GB; Class D11, AN 96-195244 XP002113466 & JP 08 066146 A (ORIENTAL YEAST CO LTD), 12 March 1996 (1996-03-12) abstract</p> <p style="text-align: center;">---</p> <p style="text-align: center;">-/--</p>	1,10



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

26 August 1999

Date of mailing of the international search report

03/09/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Caturla Vicente, V

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 99/04078

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>DATABASE WPI Section Ch, Week 9725 Derwent Publications Ltd., London, GB; Class B05, AN 97-275409 XP002113467 & JP 09 098738 A (TAKARA SHUZO CO LTD), 15 April 1997 (1997-04-15) abstract</p>	1,10
A,P	<p>EP 0 865 737 A (SOCIETE DES PRODIUTS NESTLE S.A.) 23 September 1998 (1998-09-23) cited in the application</p>	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 99/04078

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
JP 9121811 A	13-05-1997	NONE	
JP 8066146 A	12-03-1996	NONE	
JP 9098738 A	15-04-1997	NONE	
EP 865737 A	23-09-1998	US 5855936 A	05-01-1999
		AU 5936598 A	24-09-1998
		CN 1201612 A	16-12-1998
		JP 10262611 A	06-10-1998